




PHILIPS

Lighting



# MASTER TL5 High Output 高亮度日光燈管

## MASTER TL5 HO 54W/840 SLV/40

直徑 16 mm 的螢光燈管

### 安全提示

· A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### 产品数据


基本資訊		色度座標 X (標稱)		0.38
接口	G5 [ G5]	色度座標 Y (標稱)	0.38	
至 50% 故障預熱的使用時間 (標稱)	30000 h	相關色溫 (標稱)	4000 K	
功能	na [ Not Applicable]	光效 (額定) (標稱)	83 lm/W	
系統說明	高輸出 (HO)	演色性指數 (最大)	85	
額定 LSF (預熱 2000 小時), 3 小時	99 %	演色性指數 (最小)	80	
額定 LSF (預熱 4000 小時), 3 小時	99 %	演色性指數 (標稱)	80	
額定 LSF (預熱 8000 小時), 3 小時	99 %	額定 SLMF (2000 小時)	96 %	
額定 LSF (8000 小時), 3 小時	99 %	額定 SLMF (4000 小時)	95 %	
額定 LSF (預熱 16000 小時), 3 小時	97 %	額定 SLMF (6000 小時)	94 %	
額定 LSF (預熱 2000 小時), 3 小時	84 %	額定 SLMF (8000 小時)	93 %	
	Sphere	額定 SLMF (12000 小時)	92 %	
		額定 SLMF (16000 小時)	91 %	
		額定 SLMF (20000 小時)	90 %	
照明科技		運作和電氣		
色碼	840 [ CCT of 4000K (841)]	Power (Rated) (Nom)	54.4 W	
光通量 (標稱)	4500 lm	燈具電流 (標稱)	0.455 A	
光通量 (額定) (標稱)	4500 lm			
色彩名稱	冷白色 (CW)			
光效 (於最大流明, 額定) (標稱)	93 lm/W			

# MASTER TL5 High Output 高亮度日光燈管

<b>溫度</b>	
設計溫度 (標稱)	35 °C
<b>控制調光</b>	
可調光	是
<b>機械和殼體</b>	
接口資訊	綠色底盤
燈泡形狀	T5 [ 16 mm (T5)]
<b>應用</b>	
Energy Efficiency Class	G
汞 (Hg) 含量 (最大)	1.4 mg
汞 (Hg) 含量 (標稱)	1.4 mg
能源消耗 kWh/1000 h	55 kWh

423564	
<b>產品參數</b>	
完整產品碼	871150064318655
訂購產品名稱	MASTER TL5 HO 54W/840 SLV/40
EAN/UPC - 產品	8711500643186
訂購代碼	927929084055
分子 - 各件數量	1
分子 - 每一外盒內件數	40
材質編號(12NC)	927929084055
淨重 (件)	105.800 g
ILCOS Code	FDH-54/40/1B-L/P-G5-16/1150


## 二维绘图




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL5 HO 54W/840 SLV/40	17 mm	1149.0 mm	1156.1 mm	1153.7 mm	1163.2 mm

## TL5 HO 54W/840

## 光度数据




LDPB\_TL5-HO8\_840-Spectral power distribution B/W



LDPO\_TL5-HO8\_840-Spectral power distribution Colour

# MASTER TL5 High Output 高亮度日光燈管

## 壽命



LDLE\_TL5-HO8\_0001-Life expectancy diagram

LDLE\_TL5-HO8\_0002-Life expectancy diagram



LDLM\_TL5-HO8\_0001-Lumen maintenance diagram

