



MASTER LEDcandle

MASTER LEDcandle DT 6-40W E14 B38 CL_AP

Delivering incandescent-like sparkling light effects, MASTER LEDcandle bulbs are ideal for general and decorative lighting in the hospitality industry, as well as in home environments. The dimmable MASTER LEDcandles drive further efficiencies, while helping to create the desired atmosphere. Mounted in full view in chandeliers, wall scones or modern luminaires, the clear or frosted glass bulbs fit all existing fixtures with an E14 and B15 socket. Drawing upon inputs from chandelier makers and designed to enhance the aesthetic appeal of the chandelier or luminaire, not only when lit but also when not, these lamps come in a classical slender shape with a unique, eye-catching lens design. They produce a beautiful sparkling warm light that delivers huge energy savings and minimizes maintenance cost. The flame-shaped candle lamps comes in a classical slender shape with a unique, eye-catching lens design that perfectly complements modern LED candles.

产品数据

基本資訊	
接口	E14 [E14]
符合歐盟 RoHS 標準	是
標稱使用時間 (標稱)	25000 h
開關週期	50000X
技術類型	6-40W
照明科技	
色碼	822-827 [可調式暖白光]
光通量 (標稱)	470 lm
色彩名稱	暖 白色 (WW)
相關色溫 (標稱)	- K
光效 (額定) (標稱)	75 lm/W
色彩一致性	<6
演色性指數 (標稱)	80

標稱使用時間結束時的燈具流明維持係數 (標稱) 70 %	
運作和電氣	
輸入頻率	50 至 60 Hz
Power (Rated) (Nom)	6 W
燈具電流 (標稱)	35 mA
相等瓦數	40 W
起始時間 (標稱)	0.5 s
至 60% 亮度的暖機時間 (標稱)	0.5 s
功率因數 (標稱)	0.7
電壓 (標稱)	220-240 V
溫度	
T 盒上限 (標稱)	95 °C

MASTER LEDcandle

控制調光

可調光	是
-----	---

機械和殼體

燈泡表層	透明
燈泡形狀	B38

應用

適合重點照明	No
能源消耗 kWh/1000 h	6 kWh

產品參數

完整產品碼	871869645352000
-------	-----------------

訂購產品名稱	MASTER LEDcandle DT 6-40W E14 B38 CL_AP
EAN/UPC - 產品	8718696453520
訂購代碼	929001140408
分子 - 各件數量	1
分子 - 每一外盒內件數	10
材質編號(12NC)	929001140408
淨重 (件)	0.063 kg


二维绘图



Product	D	C
MASTER LEDcandle DT 6-40W E14 B38 CL_AP	38 mm	113 mm

LED DT 6-40W E14 2200-2700K B38 CL

光度数据



MASTER LEDcandle

