



Essential LEDtube

CorePro LEDtube 1200mm 16W865 G5 I APR

Essential LEDtube is an affordable LED tube that is suitable for replacing T8 fluorescent lamps. The product provides a natural lighting effect for use in general lighting applications, as well as instant energy savings – an environmentally friendly solution.

产品数据

基本資訊	
接口	G5 [G5]
符合歐盟 RoHS 標準	是
標稱使用時間 (標稱)	30000 h
開關週期	50000X
照明科技	
色碼	865 [CCT of 6500K]
Beam Angle (Nom)	200 °
光通量 (標稱)	2100 lm
色彩名稱	冷日光
相關色溫 (標稱)	6500 K
光效 (額定) (標稱)	131.00 lm/W
色彩一致性	<6
演色性指數 (標稱)	80
標稱使用時間結束時的燈具流明維護係數 (標稱)	70 %
運作和電氣	
輸入頻率	50 至 60 Hz
Power (Rated) (Nom)	16 W
燈具電流 (最大)	179 mA
燈具電流 (最小)	77 mA
起始時間 (標稱)	0.5 s


至 60% 亮度的暖機時間 (標稱)	0.5 s
功率因數 (標稱)	0.92
電壓 (標稱)	100-240 V
溫度	
T 環境 (最大)	45 °C
T 環境 (最小)	-20 °C
T 儲存 (最大)	65 °C
T 儲存 (最小)	-40 °C
T 盒上限 (標稱)	70 °C
控制調光	
可調光	否
機械和殼體	
產品長度	1200 mm
應用	
能源效益標籤 (EEL)	A++
節能產品	Yes
認證標誌	CE 標示 RoHS compliance KEMA Keur certificate

Essential LEDtube

能源消耗 kWh/1000 h	16 kWh
產品參數	
完整產品碼	871869673206900
訂購產品名稱	CorePro LEDtube 1200mm 16W865 G5 I APR
EAN/UPC - 產品	8718696732069

訂購代碼	929001381108
分子 - 各件數量	1
分子 - 每一外盒內件數	20
材質編號(12NC)	929001381108
淨重 (件)	0.162 kg


二维绘图




TLED 1200mm 100-240V 16-28W 6500K

Product	D1	D2	A1	A2	A3
CorePro LEDtube 1200mm 16W865 G5 I APR	15.8 mm	19 mm	1149 mm	1156.1 mm	1163.2 mm


光度数据



ESSENTIAL LEDtube 16W G5 865 APR





ESSENTIAL LEDtube 8W G5 865 APR



ESSENTIAL LEDtube 16W G5 840 APR



Essential LEDtube

壽命




ESSENTIAL LEDtube 8-16W G5 830-865 APR

ESSENTIAL LEDtube 8-16W G5 830-865 APR



ESSENTIAL LEDtube 8-16W G5 830-865 APR

ESSENTIAL LEDtube 8-16W G5 830-865 APR



ESSENTIAL LEDtube 16W G5 830-865 APR

Essential LEDtube

